SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : OWATROL AQUADECKS

Product code : aqd01hcs.

ALL TONES

1.2. Relevant identified uses of the substance or mixture and uses advised against

Paint and varnish

1.3. Details of the supplier of the safety data sheet

Registered company name : DURIEU S.A.: Siège Social.

Address : 2 bis, rue Charles de Gaulle.91070.BONDOUFLE.FRANCE.

Telephone : + 33 (0)1.60.86.48.70. Fax : + 33 (0)1.60.86.84.84.

reglementaire@durieu.com

www.durieu.com

1.4. Emergency telephone number : + 33 (0)1.45.42.59.59.

Association/Organisation : INRS / ORFILA www.centres-antipoison.net.

Other emergency numbers

UNITED KINGDOM: UK National poisons emergency number: +44 (0) 870 600 6266 IRELAND, EIRE: Ireland National Poisons Information Centre: +353 (0) 1 809 2166 AUSTRALIA: Poison Information Centre: 131 126 NEW ZEALAND: Poison Information Centre: 0 800 764 766 USA: American Association of Poison Centers: +1 800 222 1222 CANADA: Ontario Poison Centre: +1 800 268 9017 ISRAEL: Israel Poison Information Center : '+972 (0)4 854 19 00

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

HCS compliant.

Skin sensitisation, Category 1 (Skin Sens. 1).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Mixture for spray application.

HCS compliant.

Hazard pictograms :

GHS07

Signal Word :

WARNING

Product identifiers :

CAS 55406-53-6 3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC)

Hazard statements :

H317	May cause an allergic skin reaction.

Precautionary statements - General :

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statements - Prevention :

P280	Wear protective gloves / protective clothing / eye protection / face protection.

Precautionary statements - Response :

P302 + P352	IF ON SKIN: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

Precautionary statements - Disposal :

P501	Dispose of contents / container in a waste collection point.

2.3. Other hazards

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification HCS	Nota	%
INDEX: PCP226 CAS: 57-55-6 EC: 200-338-0 REACH: 01-2119456809-23-XXXX PROPANE-1,2-DIOL		[i]	1 <= x % < 2.5
INDEX: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 2-BUTOXYETHANOL	GHS06 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331	[i]	1 <= x % < 1.5
INDEX: 061 CAS: 55406-53-6 EC: 259-627-5 REACH: 01-2120762115-60-XXXX 3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC)	GHS07, GHS06, GHS05, GHS08 Dgr Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372		0.1 <= x % < 0.5
INDEX: 101 CAS: 1332-58-7 EC: 310-127-6 KAOLIN		[i]	0 <= x % < 0.1
INDEX: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH: 01-2119457558-25 PROPAN-2-OL	GHS02, GHS07 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[i]	0 <= x % < 0.1
INDEX: 111 CAS: 71786-60-2 EC: 276-014-8 REACH: 01-2119957489-17-XXXX FATTY AMINE ETHOXYLATE	GHS08, GHS07, GHS05 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Repr. 2, H361	[ii]	0 <= x % < 0.05
INDEX: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 POTASSIUM HYDROXIDE	GHS05, GHS07 Dgr Acute Tox. 4, H302 Skin Corr. 1A, H314	[i]	0 <= x % < 0.05
INDEX: 613-167-00-5 CAS: 55965-84-9 REACH: 01-2120764691-48-XXXX REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	GHS06, GHS05, GHS07 Dgr Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330		0 <= x % < 0.05
INDEX: 607-061-00-8 CAS: 79-10-7 EC: 201-177-9 ACRYLIC ACID	GHS02, GHS05, GHS07 Dgr Flam. Liq. 3, H226 Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Corr. 1A, H314	[i]	0 <= x % < 0.05

INDEX: 603-030-00-8 CAS: 141-43-5 EC: 205-483-3 2-AMINOETHANOL	GHS05, GHS07 Dgr Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Corr. 1B, H314	[i]	0 <= x % < 0.05

Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

This product is not classed as flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- dry chemical agents
- sprayed water or water mist
- carbon dioxide (CO2)
- multipurpose ABC powder
- foam
- water with AFFF (Aqueous Film Forming Foam) additive

Unsuitable methods of extinction

Direct water jet.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Keep containers tightly closed.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container

Keep container tighly closed in a dry place.

Stock between +5°C and +30°C in a dry, well ventilated place.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

Recommended types of packaging :

- Vats
- Buckets

Suitable packaging materials :

- Coated steel
- Plastic

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
111-76-2	98	20	246	50	Peau

79-10-7	29	10	59 (1 min)	20 (1 min)	-
141-43-5	2.5	1	7.6	3	Peau

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
111-76-2	10	49	50	246	VLRC	84
1332-58-7		10				25
67-63-0			400	980		84
1310-58-3				2		
79-10-7	10	29	20	59	VLRI	
141-43-5	1	2.5	3	7.6	VLRC	49,49 BIS

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
57-55-6	10 mg/m3				
111-76-2	25 ppm 123 mg/m3	50 ppm 246 mg/m3		Sk. BMGV	
1332-58-7	2 mg/m3				
67-63-0	400 ppm 999 mg/m3	500 ppm 1250 mg/m3			
1310-58-3		2 mg/m3			
141-43-5	1 ppm 2.5 mg/m3	3 ppm 7.6 mg/m3		Sk	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Type of FFP mask :

Wear a disposable half-mask aerosol filter in accordance with standard EN149/A1.

Category :

- FFP2

Type of mask with combined filters :

Wear a half mask in accordance with standard EN140.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)
- AX (Brown)

Particle filter according to standard EN143 :

- P2 (White)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

No data available.

Physical state

Physical state :	Fluid liquid.

Colour

Unspecified

Odour

Odour threshold :	Not stated.

Melting point

Melting point/melting range :	Not relevant.

Freezing point

Freezing point / Freezing range :	Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range :	Not relevant.

Flammability

Flammability (solid, gas) :	Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.

Flash point

Flash point interval :	Not relevant.

Auto-ignition temperature

Self-ignition temperature :	Not relevant.

Decomposition temperature

Decomposition point/decomposition range :	Not relevant.

pH

pH (aqueous solution) :	Not stated.
pH :	8.50 . Slightly basic.

Kinematic viscosity

Viscosity :	32 sec +/-3 (n°3 - ISO2431)

Solubility

Water solubility :	Dilutable.
Fat solubility :	Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water :	Not stated.

Vapour pressure

Vapour pressure (50°C) :	Not relevant.

Density and/or relative density

Density :	> 1

Relative vapour density

Vapour density :	>1

9.2. Other information

VOC (g/l) :	40
% VOC :	4

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity :

3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC) (CAS: 55406-53-6)

Oral route :	LD50 = 1056 mg/kg bodyweight/day Species : Rat OECD Guideline 401 (Acute Oral Toxicity)
Dermal route :	LD50 > 2000 mg/kg bodyweight/day Species : Rat OECD Guideline 402 (Acute Dermal Toxicity)

2-BUTOXYETHANOL (CAS: 111-76-2)

Oral route :	LD50 = 1200 mg/kg bodyweight/day
Inhalation route (Vapours) :	LC50 = 3 mg/l Duration of exposure : 4 h

PROPANE-1,2-DIOL (CAS: 57-55-6)

Oral route :	LD50 = 22000 mg/kg bodyweight/day Species : Rat
Dermal route :	LD50 > 2000 mg/kg bodyweight/day Species : Rabbit
Inhalation route (Dusts/mist) :	LC50 > 315642 mg/l Species : Rabbit

Respiratory or skin sensitisation :

PROPANE-1,2-DIOL (CAS: 57-55-6)

Local lymph node stimulation test :	Non-Sensitiser. Species : Rabbit OECD Guideline 406 (Skin Sensitisation)

OECD Guideline 406 (Skin Sensitisation)

OECD Guideline 406 (Skin Sensitisation)

11.1.2. Mixture

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 79-10-7 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 67-63-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 111-76-2 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

Do not leave this product, not diluted or in great quantity, penetrate the ground water, waters or the drains.

12.1.1. Substances

FATTY AMINE ETHOXYLATE (CAS: 71786-60-2)

Fish toxicity :	0.01 < LC50 <= 0.1 mg/l 0.01 < LC50 <= 0.1 mg/l Duration of exposure : 96 h
	0.001 < ECx <= 0.01 mg/l 0.001 < ECx <= 0.01 mg/l
	0.001 < NOEC <= 0.01 mg/l 0.001 < NOEC <= 0.01 mg/l
Crustacean toxicity :	0.01 < EC50 <= 0.1 mg/l 0.01 < EC50 <= 0.1 mg/l Duration of exposure : 48 h
	0.001 < ECx <= 0.01 mg/l 0.001 < ECx <= 0.01 mg/l
	0.001 < NOEC <= 0.01 mg/l 0.001 < NOEC <= 0.01 mg/l
Algae toxicity :	0.01 < ECr50 <= 0.1 mg/l 0.01 < ECr50 <= 0.1 mg/l Duration of exposure : 72 h
	0.001 < ECx <= 0.01 mg/l 0.001 < ECx <= 0.01 mg/l
	0.001 < NOEC <= 0.01 mg/l 0.001 < NOEC <= 0.01 mg/l
Aquatic plant toxicity :	0.01 < ECr50 <= 0.1 mg/l 0.01 < ECr50 <= 0.1 mg/l Duration of exposure : 72 h
	0.001 < ECx <= 0.01 mg/l 0.001 < ECx <= 0.01 mg/l
	0.001 < NOEC <= 0.01 mg/l 0.001 < NOEC <= 0.01 mg/l

3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC) (CAS: 55406-53-6)

Fish toxicity :	LC50 = 0.067 mg/l Species : Others Duration of exposure : 96 h
	NOEC = 0.0084 mg/l NOEC = 0.0084 mg/l Species : Pimephales promelas Duration of exposure : 35 days
Crustacean toxicity :	EC50 = 0.16 mg/l Species : Daphnia magna Duration of exposure : 48 h
	EC50 mg/l Species : Daphnia magna Duration of exposure : 21 days
	Species : Others
Algae toxicity :	ECr50 = 0.022 mg/l Species : Scenedesmus subspicatus Duration of exposure : 72 h
	NOEC = 0.0046 mg/l NOEC = 0.0046 mg/l Species : Scenedesmus subspicatus

PROPANE-1,2-DIOL (CAS: 57-55-6)

Fish toxicity :	LC50 = 40613 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h OECD Guideline 203 (Fish, Acute Toxicity Test)
Crustacean toxicity :	EC50 = 18340 mg/l Species : Ceriodaphnia dubia Duration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Algae toxicity :	ECr50 = 19000 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1.2. Mixtures

No aquatic toxicity data available for the substances.

12.2. Persistence and degradability

12.2.1. Substances

FATTY AMINE ETHOXYLATE (CAS: 71786-60-2)

Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.

3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC) (CAS: 55406-53-6)

Biodegradability :	Rapidly degradable.

PROPANE-1,2-DIOL (CAS: 57-55-6)

Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

12.3.1. Substances

3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC) (CAS: 55406-53-6)
Octanol/water partition coefficient : log Koe = 2.81

12.4. Mobility in soil

Contains a solid phase.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

The appropriate waste management of the mixture and/or its container must be determined in accordance with local regulations.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The following regulations have been used:

- OSHA Hazard Communication Standard 29 CFR 1910.1200

Container information:

No data available.

Particular provisions :

No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=2 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



- Clean Water Act : Toxic Pollutants (CWA 307A)

Unlisted.

- Clean Water Act : Hazardous Substances (CWA 311)

Unlisted.

- Clean Water Act : Hazardous Substances (CWA 304b)

CAS	Name
67-63-0	PROPAN-2-OL
55406-53-6	3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC)
26530-20-1	2-OCTYL-2H-ISOTHIAZOL-3-ONE

- Clean Water Act : Priority Pollutants (CWA Priority)

Unlisted.

- Clean Air Act : Hazardous Air Pollutants (CAA 112(b) HAP (188))

CAS	Name
79-10-7	ACRYLIC ACID

- Clean Air Act : Organic Hazardous Air Pollutants National Emission Standards (CAA 112(b) HON (387))

CAS	Name
79-10-7	ACRYLIC ACID
57-55-6	PROPANE-1,2-DIOL
141-43-5	2-AMINOETHANOL

- Clean Air Act : Protection of Stratospheric Ozone (CAA 602)

Unlisted.

- SARA 110

CAS	Name
67-63-0	PROPAN-2-OL

- SARA 302/304

Unlisted.

- SARA 313

CAS	Name
79-10-7	ACRYLIC ACID
67-63-0	PROPAN-2-OL
55406-53-6	3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC)
52-51-7	BRONOPOL (INN)
52-51-7	BRONOPOL (INN)

- California proposition 65 : Chemicals known to the state to cause cancer or reproductive toxicity

Unlisted.

- Massachusetts : Right to Know

CAS	Name
79-10-7	ACRYLIC ACID
141-43-5	2-AMINOETHANOL
1310-58-3	POTASSIUM HYDROXIDE
111-76-2	2-BUTOXYETHANOL

- New Jersey : Right to Know

CAS	Name
79-10-7	ACRYLIC ACID
67-63-0	PROPAN-2-OL
57-55-6	PROPANE-1,2-DIOL
55406-53-6	3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC)

141-43-5	2-AMINOETHANOL
1332-58-7	KAOLIN
1310-58-3	POTASSIUM HYDROXIDE
111-76-2	2-BUTOXYETHANOL

- Pennsylvania : Hazardous Substance

CAS	Name
79-10-7	ACRYLIC ACID
7631-99-4	NITRATE DE SODIUM
67-63-0	PROPAN-2-OL
57-55-6	PROPANE-1,2-DIOL
141-43-5	2-AMINOETHANOL
1332-58-7	KAOLIN
1310-58-3	POTASSIUM HYDROXIDE
111-76-2	2-BUTOXYETHANOL

- Rhode Island : Hazardous substance list

CAS	Name
79-10-7	ACRYLIC ACID
7631-99-4	NITRATE DE SODIUM
67-63-0	PROPAN-2-OL
57-55-6	PROPANE-1,2-DIOL
141-43-5	2-AMINOETHANOL
1332-58-7	KAOLIN
1310-58-3	POTASSIUM HYDROXIDE
111-76-2	2-BUTOXYETHANOL

- TSCA (Toxic Substances Control Act) - USA

CAS	Name
79-10-7	ACRYLIC ACID
7732-18-5	EAU
7631-99-4	NITRATE DE SODIUM
71786-60-2	FATTY AMINE ETHOXYLATE
67-63-0	PROPAN-2-OL
577-11-7	DOCUSATE SODIUM
57-55-6	PROPANE-1,2-DIOL
55406-53-6	3-IODO-2-PROPYNYL BUTYLCARBAMATE (IPBC)
52-51-7	BRONOPOL (INN)
478945-46-9	IRON(1+), CHLORO[DIMETHYL-9,9-DIHYDROXY-3-METHYL-2,4-DI-(2-PYRIDYL-KN)-7-[(2-PYRIDINYL-KN)METHYL]-3,7-DIAZABICYCLO[3.3.1]NONANE-1,5-DICARBOXYLATE-KN3,KN7]-, CHLORIDE(1-)478945-46-9
2682-20-4	2-METHYL-2H-ISOTHIAZOL-3-ONE
26530-20-1	2-OCTYL-2H-ISOTHIAZOL-3-ONE
2634-33-5	1,2-BENZISOTHIAZOL-3(2H)-ONE
2634-33-5	1,2-BENZISOTHIAZOL-3(2H)-ONE
141-43-5	2-AMINOETHANOL
13463-41-7	PYRITHIONE ZINC
1332-58-7	KAOLIN
1310-58-3	POTASSIUM HYDROXIDE
111-76-2	2-BUTOXYETHANOL

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H360	May damage fertility or the unborn child .
H372	Causes damage to organs through prolonged or repeated exposure .

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

Ecx : The effective concentration of the substance that causes x% maximum reaction.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

HCS : Hazard Communication standard (OSHA).